## 2015/2016 FIRST SEMESTER MOCK EXAMINATION NNAMDI AZIKWE HALL MOCK EXAMINATION

COURSE: GES 107

**DURATION: 1hr 15minutes** 

## INSTRUCTIONS: ANSWER ALL QUESTIONS

to the
1) The testis develops in the abdominal cavity and descends through to the
2 A) Thorogic inlet R) Anus (24 Inguillal Cauai D) Cite
2) The process of maturation of sperm is called A) Spermatory (spermatory)
1 1 Champing an acid III Charm 9100 PHESIS
3) follicle ovulates on a monthly basis to give oocyte
Primary C) Secondary D) Primordial
4) is the major constituent of semen A) Prostatic fluid
Seminal fluid D) Fibrolysin D) Tostis (A)
Primary C) Secondary D) Primordial 4) is the major constituent of semen A) Prostatic fluid Seminal fluid D) Fibrolysin 5) channels spermatids to the rete testis A) Efferent duct B) Testis C)
Straight tubule D) Epididymis -
A) Privatile a descend is called A) Privatile in a gravis B)
Ervthroblastosis fetalis (Cryptochidism D) Bowles
7) is the outermost part of the testis
Tunica aibuginea C) Tunica vasculosa D) Fibrous tunic
of the sperm channel that enters the inguinal canal along with spermatic
cord A) Rete testis B) Vas deferens C) Epididymis D) Efferent duct
9) Fertilization takes place in the A) Fimbriae B) Isthmus
Amulla D) Infundibulum
Amulla D) Infundibulum  10) covers the vagina of your girlfriend D) Pericardium  A) Hymen B) Pleura C)
is the outermost membrane of the egg A) Tunica vaginalis B)
Tunica vasculosa (C) Zona pellucida D) Tunica albuginea
is the first hormone released during the follicular phase of menstrual cycle
A) Luteinizing hormone B) Estrogen C) Follicle stimulating hormone
Gonadotronin releasing hormone
13) NAFDAC was established in A) 1996 B) 1995 D) 1993 D) 1994 14) Drug's route can be and A) Endemic and epidemic B) Synthetic and
14) Drug's route can be andA) Endemic and epidemic B) Synthetic and
non-synthetic (C) Systemic and non-systemic D) Rapid and non-rapid
15) Sources of drugs include all except A) Natural (B) Artificial
C) Synthetic D) Semi-synthetic
16) Drug use may be or A) Rational and relevant
B) Irrational and relevant (Rational and irrational D) Relevant and inappropriate
17) Drugs that are misuse include all except  (A) Curare  B) Opioids C)
Stimulan D) Hallucinogens
carries oxygen in the blood A) Hemoglobin B) Neuroglobin C) Myoglobin
Ferrous iron

19) is the hemoglobin found in fetus A) HbA B) HbS Of HbF D) HbE
20) named sickle cell anaemia A) Linus Pauling B) Vernon Mason C)
Tames Hamile III (110 kmmgnuol Nifom)
21) In sickle cell anaemia, replaces glutamate A) Lysine B) Glycine
Valina III Methionine
22) Sickle cell anaemia leads to all except A) Anaemia B) Hemolysis C) Hypoxia D)
Myotonia
23) Which of the following is an hereditary disease A) Cancer B) Hypertension C)
Myotonia 23) Which of the following is an hereditary disease A) Cancer B) Hypertension C) HIV D) Hypermetropia
24) Each molecule of hemoglobin can bind with oxygen molecule(s) A) 1 B)
2 C) 3 (/D) 4
25) The derivative of hemoglobin formed when ferrous iron in hemoglobin is
converted to ferric iron is A) Oxyhemoglobin  B) Carbhemoglobin
(a) A A A ampaglabin D) Carbovyhemoglabin
The period between the time of infection and the development of symptoms is
A) I -44 - amical Dy Inculation period ( ) Resting Delivor D) Reliacion y period
27) are macro-nutrients except A) Vitamins B) Fat C) Protein D)
28) Lactose contains and A) Glucose and glucose B) Glucose and
fructose C) Galactose and Tructose D) Glucose and galactose and galactose and Tructose D) Glucose and galactose an
Insulin D) Oxytocin D) Treacherel (C) Niggin D)
Insulin D) Oxytocin 30) All are fat soluble vitamins except A) Retinol B) Tocopherol C) Niacin D)
Dhylloguinone
Phylloquinone 31) is an essential amino acid A) Glutamate B) Alanine C) Serine D)
Threonine C) Oesophagus D
Threonine 32) Digestion of food starts inA) Stomach B) Duodenum C) Oesophagus D)
Mouth Description of root 2007 English Description of the Cordinator Control of the Cordinator Cord
Mouth 33) opens into the oesophagus A) Pyloric sphincter B) Cardia sphincter C)
Corvical sphincter D) Pleura
Cervical sphincter D) Pleura 34) Absorption starts in the A) Ileum B) Duodenum C) Jejunum
D) Coccum
35) Micro-nutrients include all except A) Zinc B) Iron C) Copper
is essential for coagulation of blood A) Cobalamin B) I mamine C)
(fixing II - a min on o
27) is the marmo that aids formation of DNA from viral RNA A) Killase D)
TT 1 4 COD
20) Chair of infaction has elements A) 3 D) 4 (C) 0 D) /2
30) Mode of transmission of infections from parent to offspring is (F)/vertical
Fecal-oral C) Horizontal D) Latrogenic
40) is the homologous of penis in your girlfriend A) Vulva B) Vestibule
C) Labi majora D Clitoris 41) prevents you from being infected with HIV from your girlfriend S Use of condom B) Anal sex C) Sex timing D) Withdrawal method
condom B) Anal sex C) Sex timing D) Withdrawal method
42) Your HIV positive girlfriend probably got it from all except A) Blood transfusion
Tel and are a boston a Berneral

B) Infected mother C) Use of infected sharp object (P) Mosquito bite  43) HIV binds with on T-helper cell A) CD2 (RVCD4 C) CD3 D) CD3
43) HIV binds with on T-helper cell A) CD2 (B) CD4 C) CD5 D) CD3 45) A typical HIV isolated in A) Germany B) Italy C(Ibadan D) Paris
The state of the s
45) A typical HIV cell has all except A) Integrase B) Viral RNA C) Capsid (1)  46)
IS the inferred
induced C) Opportunistic D) Thalassemia  (A) Nocosomial B) Hospital  (A) CRFO2 contains mixture (SWM)
47) CRFO2 contains (D) Thalassemia
47) CRFO2 contains mixture of HIV A and HIV A) N B) P C) O (B) G  48) is involved in erection (A) NO (B) NO2 (C) CO (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certificial in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certifical in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certifical in the contains mixture of HIV A and HIV A) N B) P C) O (B) A certifical in the contains mixture of HIV A a
48) is involved in erection A) NO B) NO2 C) CO D) Acetylcholine attaches the ovary in the positoreal action.
49)attaches the ovary in the peritoneal cavity A) Ovarian ligament B) Broad ligament C) Round ligament D) Zone pellucide
ligament C) Round ligament D) Zona pellucida  30)  are infections that the peritoneal cavity A) Ovarian ligament (B) Broad
million
Page 11 and 11 mg with fifty in Nigeria All 5 Riz 5 (1) 3 5 1) 14 5
32) Toung people aged 10-24 constitute almost % of the whole population in
Nigeria A)50 B)50 C)10 D)25
53) STD means
54) The mean age of first year undergraduate student at the university of Ibadan is
A)16 B)17 C)18 D)19
55) Proper education and empowerment have been identified important factors
responsible for the improvement of health status of women and general health status
indicates in and A)USA and England B)Costarica and England
C)Costarica and Cuba D)USA and Cuba
56) The three forms of which Vitamin B complexes includes pyridoxine, pyridoxal,
pyridoxamine A) VIT B1 B) VIT B6 C) VIT B12 D) VIT B2 E) VIT B3.
57) Non use of seat belt could cause A)cancer B)HIV/AIDS C)road accidents D)heart
attack
58) To reap the full benefits of exercise, one needs minutes of physical activities
daily A)20 B)30 C)40 D)50
59) the following are ways to stay healthy in campus except A)eat well B)rest well
C)Exercise well D) Smoke well
60) The following tips are needed to stay healthy exceptA)use seat even if you
are not the one driving B) brush your teeth C)fight stress by eating D)limit junk
food
61) Good nutrition will ensure the following exceptA)erect posture
B)resistance to disease C)obesity D)abundance of energy
62) fructose is also called A)levulose B)dextrose C)glucose D)galactose
63) Derived lipids are lipids derived from of simple or compound lipids A)
Dehydration B) Polymerization C) Detoxification D) Hydrolysis.
64) which of the following is a macronutrient A) Iron B) Iodine C) Zinc D)
Magnesium
65) Phylloquinone is vitamin A) A B) B C) C D) K
66) The following are microparasites except A) Fungi B) Viriods C) Prions D)
Viruses
67) causes typhoid fever A) Clostridium tetani B) Salmonella typhi C)

Yersinia pestis Dy canal
Yersinia pestis D) Staphylococcus aureus.
69) The following a A) II I and B) By the following a second seco
68) Plasmodium falciparum is aA) Helminth B) Prion C) Protozoa D) Fungi Syphilis D) Tuberculosis.  70) The chain of infection contains
(V) The chain act a
70) The chain of infection contains the following except A) Intermediary host B) 71) The male reproductive system.
71) The male and Reservoir D) Infectious agent A) Intermediary host B)
71) The male reproductive system may be divided into the following except A)  72) sperm remains within (1) External genitalia
Gonads B) Inhibin C) Duct system may be divided into the following except A)  72) sperm remains within the for all the formula states and the formula states and the formula states are the formula states.
Seminal remains within the for about the
72) sperm remains within the for about three weeks A) Epididymis B)  73) Sac-like structures in the for about three weeks A) Epididymis B)
73) Sac-like structures in the ovary are called A) Oocytes B) Follicles C) Ligament D) 74) Fortilization
74) Example (2) Ligament D)
74) rertilization usually occurs in the
74) Fertilization usually occurs in the A) Ampulla B) Uterus C) Uterine tube D)
73) The period of cornus luteum activity is
C) Luteal D) Corpular. phase A) Follicular B) Lutenizing
76) According to WHO , 1998, an adolescent is aged A) 9-18 B) 10-19 C) 13-19 D)
77) According to Jinaduanad Odesanmi 1913, % of secondary school youths have been sexually active within the last 12 months A 73 P 74 G 77 P 76
70) Behaviours can be categorized into and A) Cood and had D) II and
and rioh risky C) Good and unnealthy D) Risky and healthy
/9) I ne following have negative health consequences for AVP except A) I at a
sexual debut B) Use of psychoactive substances C) Sex with casual debut D) Sex with
multiple partners.
80) The following factors influence involvement of AYP in risky behaviour except
A) The media B) Peer influence C) Parental pressure D) Many AYP reach sexual
maturity before emotional and mental maturity.
81) STIs can be classified into two namely A) Pre-clinical and Post-clinical B) Severe
and Acute C) Clinical and Aetiological D) Aetiological and NON aetiological
82) Which of the following is an STI A)Yellow fever B)Chancroid C) Tuberculosis
D) Lassa fever
83) The following are genital ulcer disease except A) Herpes genitalia B) Syphilis C)
Chancroid D) Genital warts
84) The following are Non genital ulcer diseases except A) Gonorrhea B) Genital
warts C) Bacterial vaginosis D) Syphilis
85)Dysphagia is A) Difficulty in swallowing B) Difficulty in passing urine C) Rectal
pain D) Genital ulcer
86) are also known as Filterable agent' A) Fungi B) Bacteria C) Virus D)
Helminth
Helminth 87) HIV-1 can be classified into the following A) 0 B) L C) P D) M
88) Tuberculosis is a disease A) Fungal B) Viral C) Protozoan D) Bacterial
89) Clinical symptoms of AIDS include the ffg except_A) Jaundice B) Pneumonia
C) Dry cough D) Recurring fever.
90) The percentage of the results that will be positive when HIV is present is also
known as A0 Specificity B) Sensuality C) Sensitivity D) Sexuality
known as Au specificity D) sexuality

91) HIV can be transmitted in the following ways except A) Mother to fetus in utera 92) HCT mean A) HIV counting with HIV infected blood
b) shaking hands C) Sex D) Injection with HIV infected blood HIV Counselling and tooch.
92) HCT mean (A) HD: Injection with HD: Good blood
COURCEION COURCEION COURCEION
92) HCT mean A) HIV counting and testing B) HIV counting and talking C) 93) Discouraging and avoiding female circumcision contribute in reducing the 94) PEP means A) Processor of the total contribute in the second contrib
Sexual Spread of tree
94) PEP means A) Pre- exposure prophylaxis B) Parental encouraged practises  C) Post-exposure prophylaxis D) Post-exposure practises.
C) Post-exposure prophylagic D) Post-exposure
C) Post-exposure prophylaxis B) Parental encouraged practises  95) HIV treatment centres in Nigeria include the following except A) UCH B)  96) Commonwealth V
Adeovo maternita (V. C. A. H. Nigeria include the following except A. H.CH. P.)
96) Commonwealth Vouth Description of the Ministries d) Oluyoro catholic hospital
years A) Two third B) One third c) Half D) Three quarter.  explains development of the cult
explains development of three quarter.
B) Parsons C) Jinadu D) Max
99) The following are life skills except A) Garage and the property of the pro
Emotional coping skills D) Informating skills.
100) The THREE C model include the following around the Co. II
Consolidation C) Choices D)Consequences.
101) As at 2008, of HIV patients lived in Africa. A) 67% B) 47.7% C) 50% D)
71%
102) is best described as a silent killer' A) HIV/AIDS B) Anaemia C)
Hypertension D) Diabetes.
103) Haemoglobin s the pigment in the blood cell which carries oxygen
around the body A) YELLOW, WHITE B) RED, WHITE C) WHITE, RED C)
RED, RED.
104) Homozygote state puts patients at a selective disadvantage both from A)
Anaemia and high blood pressure B) HIV/AIDS and anaemia C) Malaria and
Anaemia D) Malaria and AIDS.
105) The following are important for prevention of complication of sickle cell except
A) Carbohydrate supplementation B) Malaria prophylaxis C) High fluid intake D)
Healthy diet
106) Drugs are used for principal reasons excluding A) To cure disease B) To
liminate symptoms C) To prevent diseases D) To induce stress.
107) Systemic routes of drug administration include A) Topical B) Pacenteral C)
T. I. D. Aialadia
(108) Drugs used to relieve pain are A) Anti-pyretic B) Anti-tussive C)
Analgesics D) Anxiolytic.  [09] The following substances can be gotten from opium exceptA) Morphine B)
Codeine C) Cocaine D) Heroin.  Codeine C) Cocaine D) Heroin.  A)PANS R) PRN C) PAS D) PCN.
Codeine C) Cocaine D) Heroin.  10) The Pharmacy body in Nigeria is called A)PANS B) PBN C) PAS D) PCN.  10) The Pharmacy body in Nigeria is called A)PANS B) PBN C) PAS D) PCN.
10) The Pharmacy body in Nigeria is cancuA)rans B) PBN C) ras b) r CN.  11) Influences on the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of one of the mass media on youth subcultures is not a component of the mass media on youth subcultures is not a component of the mass media of the mass
11) Influences on the mass media on youth subcultures is not a component of one of the following a) Marxist approach B) Interactionist approach C) Post-structuralist
pproach D) None of the above.
12) is a reaction of succession of succ

dominant culture A) Counterculture B) Subculture C) Culture D) Anomicculture
C TO THE STREET OF THE STREET
114) is a general perception about youth worldwide. A) Economic stability  B) Autonomic decisions C) Subsultant D)
Countageniture
Claic youll culture to the divide and unle strategy of capitalism. A)
Tank b) Functionalist C) Interactionist D) All of the above
100 100 100 100 100 100 100 100 100 100
t unctionalist D) Post- structuralist.
117) The identification-participation model is peculiar o A) Maslow B) Finn c) Lahey D) Goodenov and Grady.
118) refers to a series of self developmental sessions where basic skills are
taught. A) Life skills sessions B) Life skills education C) Life skills communication D
Life skills awareness.
119) teaches people the importance of understanding emotions. A) Life
skills B) Interpersonal skills c) Emotional skills D) Self-esteem skills.
120) recognizes that youth are not a homogenous category and that
differences exist among them. A) Life skills B) National Gender Policy C) National
Youth Policy D) African Youth Charter.
121) Which of the following is not a function of T4 lymphocyte A0 Inactivation of
macrophages B) Secretion of growth and differentiation factors C) Induction of cytolytic cell.
122) In sickle cell anaemia disorder a mutation occurs in chromosome VI
replacing to A) Valine to histidine B) Glutamic acid to tyrosine C)
Glutamic acid to aspartic acid D) Valine to Glutamic acid.
123) The following are antibiotics except A) Ampicillin B) Tetracycline C) Clonidine
D) Cloxacillin E) Amoxil.
124) Another name for Vitamin E is A) Retinol B) Cholecalciferol C) Tocopherol D)
Phylloquinone.
125) The three forms of which Vitamin B- COMPLEXES which include pyridoxine,
pyridoxal and pyridoxamin A) Vitamin B1 B) Vitamin B6 C) Vit B12 D) Vit B2 E)
Vitamin B3.
Wishing you all success in your forthcoming examinations
AOB, POO, EOK